

## LESSON 2: NUMBERS AND MATH

## JAVASCRIPTING: KEY CONCEPTS OF FRONT-END PROGRAMMING

	: for how to		in a given
languag	je.		
»	: a	line of code that	contains an
	to compl	ute. They always end	d with
»	: s	everal lines of code	grouped with and
»	: a stateme	ent that contains one	e or more and
	that are o	computed/	to a single value.
	: specific	that are part of	the language. Examples:
	: custom	we create to re	present stored
for	in a script		
» Decl	aring a variable:		
	var1;		operator
	var1 =	2;	

» Naming a variable:

## [Scripting] \_\_\_\_\_: specific kinds of \_\_\_\_\_. Examples:

\_\_\_\_\_ we use as we relate \_\_\_\_\_\_ to

each other or use them

in \_\_\_\_\_. Examples:

» Expression formula:

» Order: Work \_\_\_\_\_ to \_\_\_\_\_ but respect

\_\_\_\_\_

» Operators to know:

\_\_\_\_\_: specific combinations of keywords and characters that provide different possibilities in the language. Examples:

\_\_\_\_\_: additional content we place in our scripts that is not processed by the computer. Provides \_\_\_\_\_ \_\_\_\_ or \_\_\_\_\_ for our code. Two forms:

» \_\_\_\_\_

» \_\_\_\_\_